# ENERGY WISE FOR YOUR HOME

# Your guide to heating and cooling

#### AIR SOURCE HEAT PUMP (ASHP)

- It's the best of both worlds. ASHPs provide home cooling and supplemental heating with 72% less electricity than conventional air conditioners and furnaces.
- ASHPs are measured by:
  - Heat Seasonal Performance Factor (HSPF). HSPF/ HSPF2 is the most commonly used measure of a heat pumps heating efficiency. The higher the HSPF/ HSPF2, the more efficient the heat pump.
  - 2) Seasonal Energy Efficiency Ratio (SEER). The SEER/ SEER2 rating most accurately reflects overall system cooling efficiency on a seasonal basis.
  - Energy Efficiency Ratio (EER). EER/EER2 reflects the system's cooling energy efficiency at peak day operations.
- You can switch between cooling and heating directly from the thermostat, putting you in complete control.

#### **CENTRAL AIR CONDITIONER (CAC)**

 If your air conditioner is more than 12 years old, replacing it with a rebate qualifying model could cut your cooling cost by 30%.

#### CAC AND ASHP TUNE UP

• The best way to ensure efficient operation of your cooling system is by having a tune-up every two years.

#### **DUCTLESS/MINI-SPLIT ASHP**

- Use 60% less energy than standard home electric resistance-based heating systems, because they transfer instead of generate heat.
- Use sophisticated compressors and fans that can adjust speeds to save energy. You can cut cooling costs by 30% compared to conventional room air conditioners.

#### ELECTRONICALLY COMMUTATED MOTOR (ECM) FOR YOUR FURNACE

- ECMs are standard in new construction. Rebates are available only for replacement.
- ECMs help save energy and money by running at the best speed, opposed to traditional motors that always run at top speed.
- Furnaces equipped with an ECM have lower annual operating costs and can save you \$40 to \$300 per year depending on how you use the furnace fan.

#### **GROUND SOURCE HEAT PUMP**

- The most efficient residential heating and cooling system available today.
- Provide energy savings of 20-50%, which results in recouping your investment in only a few years.
- Heating efficiencies 50-70% higher than other heating systems and cooling efficiencies 20-40% higher than available air conditioners.

Choosing higher efficiency heating and cooling equipment can have a big impact on your comfort while helping you save money.



## **Heating and Cooling**

#### Re

Rebate Application					KANDIYOHI POWER
MEMBER INFORMATION				ГV	8605 47th St NE • Spicer, MN 56288 800-551-4951
Name				Account #	
Address					
City					
Member Type By signing this application, I certify the a address listed above which represents a	ppliances for which	I am claiming a			
Signature			Today's d	ate	
EQUIPMENT INFORMATIO	N – ASHPS A	AND CACS			
ASHP system typeDuctlesASHP system efficiencyHigh efficiencyASHP alternate/backup heating system	iciency ≥ 14.3 SEER				
Outdoor Unit Model Number: Indoor Unit(s) Model Numbers And Qu					
* Producto must qualify under the CEE Ti	or 1 Dath A or Dath		to com/c/rocou		

\* Products must qualify under the CEE Tier 1 – Path A or Path B – <u>cee1.my.site.com/s/resources?id=a0V2R00000sUQby</u> CEE Tier listing must be confirmed via AHRI directory of certified products at ahridirectory.org

<b>CONTRACTOR/EQUIPMENT INFO</b>	RMATION – TU	NE UPS, ECMS /	AND GSH	IPS
Contractor Name	City			State
Contractor signature	Contracto	r company		
Cooling Equipment Tune Up				
Equipment Brand	Model Number	Seria	I Number	
Approx. age of unit yrs.	SEER /SEER2 rating		SEER	SEER2
I certify that I have completed the following on th	is unit.			
🗌 clean condenser coil & check belt, if needed	🗌 test all controls a	& blow out drain lines		
□ check coolant level & lube motor, if needed	🗌 check indoor fur	nace filter & educate he	omeowner on	system operation
$\Box$ check coolant pressure visually & inspect ent	ire system			
Replacement furnace with ECM Motor qualifying	g criteria – <mark>must be EN</mark>	IERGY STAR listed		
Model Number				
AHRI Number		Manufacturer		
Ground Source Heat Pump (GSHP) qualifying crit	teria – <mark>must be ENERG</mark>	Y STAR listed		
Manufacturer		Model Number		Tons

#### **IMPORTANT:**

- Check with cooperative for qualifying rebate amounts. •
- Product(s) must be installed within the cooperative's service territory.
- Include a copy of the original dated sales receipt(s) and AHRI Certificate
- Submit completed rebate form and a copy of the original sales receipt within 90 days of purchase date.
- To verify specific model efficiency ratings or ENERGY STAR certification status please visit the following resources
  - Ductless ASHPs https://www.ahridirectory.org
  - Replacement furnaces https://www.energystar.gov/productfinder/product/certified-furnaces/results
    - https://www.ahridirectory.org/Search/SearchHome?ReturnUrl=%2f
  - GSHPs https://www.energystar.gov/productfinder/product/certified-geothermal-heat-pumps/results

Rebate program is subject to change or cancellation without notice. Call the cooperative to verify rebate program status

### **Heating and Cooling**

#### **2025 Reference and Conversion Sheet**

**Notice:** On January 1, 2023 the Department of Energy (DoE) began using a new testing procedure to rate the efficiency of air conditioners and air source heat pumps. These changes require new metrics (SEER2/EER2/HSPF2) that were derived from the DoE's new test procedure (M1) rather than the historical metrics (SEER/EER/HSPF) from the old test procedure (M).

The simple conversion table below will help you to identify air conditioning (AC) and air source heat pump (ASHP) equipment that qualifies for ENERGYWISE rebates in 2025 using the following steps.

Step 1: Determine what ratings system was used for the equipment model that you plan to purchase.

**Step 2**: Confirm that the efficiency ratings of the new equipment exceeds the requirements for the rebate measure you are applying for using the table below to convert between the old and new efficiency ratings when needed.

SEER	DUCTED SEER2	DUCTLESS SEER2
14.0	13.4	14.0
14.5	13.8	14.5
15.0	14.3	15.0
15.5	14.8	15.5
16.0	15.2	16.0
17.0	16.2	17.0
17.5	16.7	17.5
18.0	17.2	18.0
19.0	18.1	19.0
20.0	19.0	20.0

EER	DUCTED EER2	DUCTLESS EER2
10.2	9.8	10.2
11.0	10.5	11.0
11.5	11.0	11.5
11.7	11.2	11.7
12.0	11.5	12.0
12.2	11.5	12.2
12.5	12.0	12.5
13.0	12.5	13.0

HSPF	DUCTED SPLIT HSPF2	DUCTED PACKAGE HSPF2	DUCTLESS HSPF2
8.0	6.8	6.7	7.7
8.2	7.0	6.9	7.9
8.8	7.5	7.4	8.4
9.0	7.7	7.6	8.6
9.5	8.1	8.0	9.1
10.0	8.5	8.4	9.5
11.0	9.4	9.2	10.4

NOTE: The cross references for efficiency in the above tables should be noted as approximate.

